



COLONIAL ENTRANCE

Timber Merchants ~ Kitchen Makers
Specialists in Villa, Bungalow & Transitional Villas

COLONIALENTRANCE.CO.NZ

Find us

44 Keeling Rd, Henderson.
PO Box 60 108, Titirangi, Auckland.



Contact us

For general inquiries write to
john@colonialentrance.co.nz



Or give us a call

John: 027 474 5354
Andy: 0274 363 853
Phone: 09 836 1190

Colonial Entrance is a provider of high quality timber moulding products, kitchens & cabinetry.

From our architraves to our cabinets and decorative timber products we help designers, home owners, architects and builders add creativity and style to both commercial and residential projects across New Zealand and worldwide.

Colonial Entrance was established in 1997.

We are a family owned business based in West Auckland, John the owner and operator has over 30 years experience in the trade and is trusted to supply fittings for some of the most demanding renovations and developments.

*We are a small team specialising in a
good quality product that is made to last.*



“In our approach & ability to consistently meet the highest standards of work, we ensure that the Colonial Entrance team enjoys a busy work schedule, earning them an excellent reputation within the industry.”



TABLE *of* CONTENTS

Timber mouldings





















FRETWORK BRACKETS	1
LACE	3
EXTERIOR EAVE BRACKETS	5
CEILING ROSES	7
VERANDAH PAILINGS	9
NEWELS POSTS AND BALUSTERS	13
HANDRAILS, BOTTOM RAILS & FILLET	15
POST CAPS & TURNINGS	17
SPINDLES	19
FINIALS	21
ARCHITRAVES & CEILING BATTENS	25
SKIRTING	29
SCOTIA	31
MOULDINGS	33
LAMINATED POST	35
KITCHENS BY COLONIAL	37
LAMINATED POST & FENCE SYSTEM	43

Fretwork Brackets

- *All items are sanded and ready for painting*
- *All Brackets can be double-ended to suit*
- *Lace work is made to measure*
- *Custom work is available if required*



Brackets

Bracket A 345 x 210 	Bracket B 600 x 275 	Bracket C 600 x 275 
Bracket D 440 x 265 	Bracket E 575 x 275 	Bracket G 425 x 385 
Bracket H 600 x 275 	Bracket J 560 x 275 	Bracket K 600 x 275 
Bracket L 600 x 370 	Bracket M 650 x 275 	Bracket N 345 x 210 
Bracket O 235 x 180 	Bracket P 280 x 59 	Bracket Q 500 x 255 
Bracket R 600 x 370 	Bracket S 395 x 275 	Bracket W 140 x 140 
Bracket X 600 x 275 	Bracket Z 990 x 450 x 30 	

Lace

Lace - H/R

133 x any length



Lace - H

133 x any length



Lace - Q

133 x any length



Lace - P

133 x any length



Lace - I

133 x any length



Lace - K

133 x any length





Exterior Eave Brackets



Dental No.1
155 x 80 x 18



Dental No.2
155 x 80 x 30
177 x 177 x 30



Dental No.3
280 x 80 x 45
280 x 180 x 65
280 x 180 x 90



Dental No.4
255 x 220 x 45
255 x 220 x 65
255 x 220 x 90




Exterior Sill Block
150 x 135 x 60



Custom Dentals available

Eave Brackets



Ceiling Roses



Roses



Rose A
245mm



Rose B
400mm



Rose B with curved ring
600mm



Rose D
460mm



Rose D with curved ring
670mm



Rose F with curved ring
900mm



Heart Rose with curved ring
700mm



Solid Rose
350mm










Square Rose
300 x 300

Verandah Pailings



Verandah Pailings

<p>F1 850 x 140</p> 	<p>F2 850 x 140</p> 	<p>F6 850 x 140</p> 
<p>F5 850 x 140</p> 	<p>F4 850 x 100</p> 	<p>F7 850 x 100</p> 
<p>F8 850 x 85</p> 		



Newels Posts and Balusters

“Our company specialise in supplying quality fittings to builders ~ architects ~ do-it-yourselfers and home renovators.”

Posts and Balusters



Newel Post Pine
90 x 90 x 1500



Andrea U/T and H3.2
42 x 42 x 950



Andrea H3.2
58 x 58 x 950

Posts and Balusters



Brooke H3.2
58 x 58 x 950



Cheyan U/T and H3.2
42 x 42 x 950



Darcy H3.2
58 x 58 x 950

Posts and Balusters



Tayla H3.2
58 x 58 x 950



Riki H3.2
58 x 58 x 950


Handrails, Bottom Rails & Fillet



Handrails, Bottom Rails and Fillet



Crown H3.2 Pine 85 x 62



Ladies Waist H3.2 Primed Pine 63 x 65



Breadloaf H3.2 Pine 65 x 45



Breadloaf H3.2 Treated Pine 65 x 45



Bottom Rail Pine/Rimu 65 x 18




Bottom Rail H3.2 Pine 65 x 45
80 x 45



Fillett H3.2 Treated
42 x 6
58 x 6

Post Caps & Turnings

“We pride ourselves on high quality products and service to our customers. With the right advice from us ~ we can make sure that your renovations are authentic and balanced right throughout your home.”



Post Caps H3.2



Post Cap Range

To suit post size

90 x 90

112 x 112

135 x 135

180 x 180



Cap Detail



Square Top

Turnings



Acorn Teardrop H3.2

42 x 42 x 170



Teardrop H3.2

58 x 58 x 235



Teardrop H3.2

42 x 42 x 175

Turnings



Acorn Drop H3.2
58 x 58 x 190



Ball Top H3.2
90 x 130



Acorn Top H3.2
90 x 200



Spindle A H3.2
95 H x 40 L



Spindle B H3.2
40 x 140



Spindle C H3.2
140x40



Arc Blocks H3.2
95 x 90 x 21
130 x 130 x 32



70mm



90mm



140mm and 190mm


Barge Board Rosette's H3.2

Spindles



Finials

“We can custom make any fittings to match an existing design or create a new design that is totally unique to you.”



Finials



Rocco H3.2

90 x 90 x 1500

90 x 90 x 1800

90 x 90 x 2100



Tyson 2 H3.2

90 x 90 x 1500

90 x 90 x 1800

90 x 90 x 2100



Joe Finial

58x58x600

58x58x900

58x58x1200



Ra Finial

58x58x600

58x58x900

58x58x1200

Architraves & Ceiling Battens



Architraves

Bungalow Arc

65 x 18

90 x 18

115 x 18




Bungalow Arc

135 x 18



No. 10 Arc H3.2

135 x 30



No. 9 Arc

75 x 18



No. 8 Arc

65 x 14

65 x 18



No. 7 Arc

90 x 14

90 x 18



Arc No. 4

90 x 18



Arc No. 3

90 x 18



Arc No. 2

115 x 18



Architraves

Arc No. 1

125 x 18

135 x 18 H3.2



Arc No. 6

120 x 18



Arc No. 5

125 x 18



Ceiling Batten

K Batten

90 x 12



F Batten

65 x 18



K2 Batten

90 x 16







Skirting

“We offer delivery within the Auckland area for a house lot of product ~ so this takes away the stress of getting your product to your building site.”

Skirting



No. 1 Skirting
135 x 18



No. 1 Skirting
180 x 18



No. 1 Skirting
280 x 18



No. 1 Skirting
230 x 18



No. 2 Skirting
180 x 18
230 x 18

Skirting



No. 3 Skirting
180 x 18
230 x 18



Bungalow Skirting
210 x 18
180 x 18
135 x 18



Bungalow Arc
135 x 18



Bungalow Arc
90 x 18



Arc No. 7
90 x 18
90 x 14





Scotia

*“We're the one-stop-shop for all
your Colonial renovation needs.”*

Scotia

			
M Scotia 90 L x 18 H		Sill Scotia 25 L x 18 H	
			
F Scotia 90 x 40			
		Wall Batten 90 x 18	
S8 Scotia 54 x 15	S5 Scotia 39 x 15		
			
D Scotia 87 x 18			
			
Fletcher 1 Scotia 90 x 18	Fletcher 2 65 x 18		
			
Fletcher 3 Scotia 110 x 18			
			
Big M Scotia 95 x 22			Dressed 4 Sides 65 x 18 90 x 18



Mouldings

*“There's more to us than just fittings
~ with a well stocked showroom ~ free
advice and staff that are well accustomed
to solving the more difficult problems.”*

Mouldings



Moulding B H3
62 x 27



Moulding C H3 /UT
32 x 18 45 x 18



Barge Mould H3 Treated
35 x 20



48 x 28



39 x 19

Moulding D H3.2




Picture Rail
45 x 22



Scriber H3 40 x 16
40 x 16



Bullnose Sill Pine & Rimu
60 x 40



Eaves Mould H3 Treated
45 x 45



Sai Moulding H3.2 Treated
42 x 42 26 x 26



L Type Moulding H3 Post Moulding
90 x 42



Dado 1 60 x 40




Post Mould 65x35

Laminated Post




- *Laminated Beams and Posts are all square edged in H3.2 or H5 Visual*
- *All posts can be bevelled or turned to suit your requirements*



H5 Laminated Posts



H3.2 Laminated Beams





KITCHENS BY COLONIAL



- *Exceptional Craftsmanship*
- *Specialised Service*
- *Customised from start to finish,*
- *Quality products and materials.*









 **blum**[®]





Laminated Post & Fence System



GENLAM®
POSTS & FENCING SYSTEM

Laminated Post & Fence System




Genlam GL8 Posts H4

88 x 88
112 x 112
135 x 135
185 x 185



Bottom Rail H.2 Open

65 x 42




Top/Bottom Rail

90 x 42


Mid Rail

90 x 36




TGV Paling H3.2

90 x 18
135 x 18




T&G Paling H3.2

90 x 18
135 x 18




Bevel Shiplap Paling H3.2

90 x 18
135 x 18




PRD4S Paling (pencil round edge) H3.2

90 x 18
135 x 18



Capping H3.2

65 x 42



Finishing D4S Board

GenLam® H4 GL8 posts are technically crafted to give you an engineered, high performing laminated post. A quality dual primer paint application, ready to add your own creative top coat to.

The beautifully crafted timber palings accompany your unique fence and allows you to create your own design.

The Micropro® treatment is a safe timber preservative and is effective against fungal decay, borer and insect attack. MicroPro® has four environmental credentials which makes it an eco-friendly alternative.

Key Features

- Won't split or twist like solid timber posts
- Suitable for in-ground or above ground use
- Incredibly strong
- Visually pleasing and easy to paint
- Suitable for fences, pergolas, playground structures/equipment and playhouses
- No leaching into our soils
- 50 year treatment warranty
- Posts and palings are dual coated with a premium exterior alkyd primer (oil based primer)



Product Handling & Installation

FASTENERS

Use fasteners, fixings and hardware that comply with the manufacturer's recommendations for their intended use. Suitable fasteners to use with MicroPro® treated products include stainless steel and hot dipped galvanised nails.

Note: In seaspray and geothermal zones ensure all specified fasteners and fixings comply with the environmental exposure.

INSTALLATION

KLC's GenLam H4 laminated posts must be installed in accordance within our recommendations of use and installation.

MANUFACTURING COMPLIANCE

KLC GenLam posts are manufactured in accordance with the following New Zealand and Australian standards:

- Timber Finger Joints in Structural Products certified to AS 5068 Service Class 3
- Glue Laminated Structural Timber certified to AS/NZS 1328
- Assure Quality Timber Treatment Programme. MicroPro® is an approved treatment meeting compliance with APVMA, AS/NZS 1604 Series, NZS 3640 and NZ EPA

STORAGE AND HANDLING

GenLam H4 Laminated Posts and palings must be kept dry and protected from excessive heat, direct sunlight and prolonged exposure to the elements prior to installation and painting. This will protect your product.


- All cuts, rebates, bore holes, and notches must be given two liberal coats of a suitable brush-on timber preservative. Then re-painted with two primer coatings to prevent swelling and shrinkage
- If using GenLam H4 laminated posts in coastal sea spray or geothermal zones, it is the installer's responsibility to ensure all specified fastenings, fittings are suitable.

PAINTING

Apply two coats of premium exterior grade top coat paint immediately after installation. Top coat colours should have a Light Reflective Value (LRV) of 45 or higher. Dark colours can encourage resin bleed and distortion leading to cracking and premature paint failure. Paint must be applied as per the manufacturer's recommendations.



GenLam is a friendly component fence system. The D4S, palings finishing boards and bottom rails are interchangeable giving you a high degree of creative flexibility.



MicroPro® Treated Wood Products

The MicroPro® Micronized Copper Azole (MCA) based preservative system for wood products protects from insects, termites and fungal decay and is manufactured by the Performance Chemicals division of Koppers Inc.

These products may be marketed under the MicroPro® trademark or other brand names. The preservative contains a mixture of micronised copper carbonate (copper) and tebuconazole (azole) at a ratio of 25:1 copper:tebuconazole. This ratio has been shown to provide the most efficacious preservative performance.

When correctly installed in the intended situation for the specified Hazard Class, a service life of 50 years or more is expected. Preservative Treatment MicroPro® micronized copper azole preservatives are EPA-approved for use in New Zealand.



Our small team has over
60 years combined experience

COLONIALENTRANCE.CO.NZ